

Product Specification

DGI 6L_10L_11L_13L CF Russian Version

Editor: MTS (China)
Version: 002

The information, including all related documents, drawings, etc., is confidential and is the property of MTS Group. It may not be copied or reproduced, or disclosed to any other party, except with prior written authorization of MTS Group.

No:	ITAM WU08JYG-0011	Title:	Product specification DGI 6_10_11L_13L CF ARISTON		
Edition:	003	Date:	2010-2-10	Page:	1/10

Index

1. Codes
2. Generalities
3. Product packing
4. Booklet
5. Product section
6. Technical data

No:	ITAM WU08JYG-0011	Title:	Product specification DGI 6_10_11L_13L CF ARISTON		
Edition:	003	Date:	2010-2-10	Page:	2/10

1. Codes

Code	Des.	SPA Code	SPA Model Des.
3611563	DGI 11L CF NG ARISTON		
3611564	DGI 13L CF NG ARISTON		
3611577	DGI 6L CF NG ARISTON		
3611578	DGI 10L CF NG ARISTON		

2. Product Generalities



6L

10L

11L

13L

Brand: ARISTON (new logo)

Hot water output: 6L/min,10L/min,11L/min, 13L/min

Exhaust: Conventional flue

Ignition: Electrical

Water control: Mechanical knob

Flame control: Mechanical knob

No:	ITAM WU08JYG-0011	Title:	Product specification DGI 6_10_11L_13L CF ARISTON		
Edition:	003	Date:	2010-2-10	Page:	3/10

3. Product packing

Finish good

Carton box:

- Language: **General**
- Material: 5 floors corrugated paper (normal)
- Dimension & Gross weight:


Capacity (L/min)	Packing dimension (mm)	Gross weight (Kg)	Loading Qty 40" FCL	Loading Qty 40" GP	Loading Qty 20" GP
6L	560×340×200	7.5	1850	1640	800
10L	630×385×250	9.9	1023	950	470
11L	715×400×255	11.8	855	780	385
13L	765×455×265	14.8	680	630	295

Additional 1% quantity carton box free for every batch order.



No:	ITAM WU08JYG-0011	Title:	Product specification DGI 6_10_11L_13L CF ARISTON		
Edition:	003	Date:	2010-2-10	Page:	4/10


Carton box label (Dimension: 155X60 mm)



No:	ITAM WU08JYG-0011	Title:	Product specification DGI 6_10_11L_13L CF ARISTON		
Edition:	003	Date:	2010-2-10	Page:	5/10

4. Booklet

DGI 6-10-11-13L CF




ГАЗОВЫЙ ВОДОНАГРЕВАТЕЛЬ
Модели для подключения к
дымоходу
Инструкция по установке и
эксплуатации

модельный ряд:
 DGI 6L CF
 DGI 10L CF
 DGI 11L CF
 DGI 13L CF

Содержание:

1. Описание	2
2. Технические характеристики	2
3. Установка и подключение к дымоходу	3
4. Безопасность	3
5. Установка и эксплуатация	3
6. Техническое обслуживание	3
7. Замена газового клапана	3
8. Замена газового вентиля	3
9. Замена газового регулятора	3
10. Замена газового фильтра	3
11. Замена газового датчика	3
12. Замена газового датчика	3
13. Замена газового датчика	3
14. Замена газового датчика	3
15. Замена газового датчика	3
16. Замена газового датчика	3
17. Замена газового датчика	3
18. Замена газового датчика	3
19. Замена газового датчика	3
20. Замена газового датчика	3



Обозначения:

- 1 - Вентилятор дымохода
- 2 - Датчик температуры
- 3 - Газовый клапан
- 4 - Газовый регулятор
- 5 - Газовый датчик
- 6 - Газовый датчик
- 7 - Газовый датчик
- 8 - Газовый датчик
- 9 - Газовый датчик
- 10 - Газовый датчик
- 11 - Газовый датчик
- 12 - Газовый датчик
- 13 - Газовый датчик
- 14 - Газовый датчик
- 15 - Газовый датчик
- 16 - Газовый датчик
- 17 - Газовый датчик
- 18 - Газовый датчик
- 19 - Газовый датчик
- 20 - Газовый датчик



5. Product section



6L



10L



11L/13L

5. Technical data

Model	6L CF	10L CF	11L CF	13L CF
Hot water output(L/Min)	6	10	11	13
Heat input(KW)	12	20	22	26
Heat efficiency	>80%			
Gas type	Liquefied Petroleum Gas(LPG) / Natural gas (NG)			
Install place	Indoor			
exhaust	Natural flue			
Ignition	Electrical			
burning	Natural burning			
Heat exchange	Convective+ radiant			
Safety protection	Electronic flame sensor (two sensor)			
Water temperature control	Mechanical			
Display	Light			
Start-up	Automatic (open water tap)			
Rated voltage	DC3V			
Water inlet/outlet	G1/2			
Gas inlet	G1/2			
Exhaust cover	Φ 90mm	Φ 110mm	Φ 125mm	
Colour	Bright white			
Net weight(Kg)	6.5	8.7	10.6	12.9


Gross weight(Kg)	7.5	9.9	11.8	14.8
Dimension (mm)	440×300×130	550×330×160	630×340×165	650×400×170

Technical labels

Material: Aluminum foils paper;

Position: Right side

Language: Russian (ARISTON)




No:	ITAM WU08JYG-0011	Title:	Product specification DGI 6_10_11L_13L CF ARISTON		
Edition:	003	Date:	2010-2-10	Page:	8/10

Warning notice label:





Position:




Water & gas position stick:

No:	ITAM WU08JYG-0011	Title:	Product specification DGI 6_10_11L_13L CF ARISTON		
Edition:	003	Date:	2010-2-10	Page:	9/10



Logo print on plastic panel



Update Record

Date	Updated by	Version	Note
2009-3-12	Jonathan You / Liang	001	New Issue
2009-6-15	Jonathan You / Liang	002	Update carton box, booklet.....
2010-2-10	Jonathan You	003	Add two new code -6L/10L